I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to:

Commissioner for Patents

United States Patent & Trademark Office Attention: Certificate of Correction Branch

P.O. Box 1450

Alexandria, VA 22313-1450, on //3/01

DATE

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Examiner: Chad Rapp

Group Art Unit: 2125

In re application of

E. Wesley Elliott et al.

Application No. 10/761,871

Filed: January 21, 2004

Patent No. 6,970,762

Issued: November 29, 2005

Certificate

JAN 1 0 2006

of Correction

: METHOD OF MONITORING OPERATION

: OF AN AUTOMATED TOOL AND

ASSOCIATED APPARATUS

: ATTORNEY DOCKET: 282829-00072-1

<u>LETTER</u>

600 Grant St., 44th Floor Pittsburgh, PA 15219 January 3, 2006

Commissioner for Patents
United States Patent & Trademark Office
Attention: Certificate of Correction Branch
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In comparing the above-identified original patent document with the original papers filed in the Patent and Trademark Office, we have noted one (1) error which was the printer's error.

It is respectfully requested that a Certificate of Correction be issued to correct these printing errors in the above-identified patent.

Respectfully submitted,

hilip E. Levy

Registration No.40,700 Attorney for Applicant

(412) 566-6043

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. :

6,970,762

DATED

November 29, 2005

INVENTOR(S):

E. Wesley Elliott et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent should be corrected as shown below:

Col. 7, line 16, "claim 1" should read --claim 11--.

1 of 1

MAILING ADDRESS OF SENDER:

Sally Novosel, Docket Administrator ECKERT SEAMANS CHERIN & MELLOTT, LLC 600 Grant Street, 44th Floor Pittsburgh, PA 15219 PATENT NO. 6,970 ,762

No. of add'l. copies

@ 50¢ per page

 \Rightarrow